

Prepared for:

Zen Organics, Inc

1095 Sugar View Dr. Ste 500
Sheridan, WY USA 82801


Bliss Lippy (15g NET)

Batch ID or Lot Number: SKU: 13	Test: Potency	Reported: 21Aug2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000253418	Started: 18Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Aug2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.022	0.057	ND	ND	
Cannabichromenic Acid (CBCA)	0.020	0.052	ND	ND	
Cannabidiol (CBD)	0.069	0.167	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.070	0.171	ND	ND	
Cannabidivarin (CBDV)	0.016	0.040	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.029	0.072	ND	ND	
Cannabigerol (CBG)	0.013	0.032	ND	ND	
Cannabigerolic Acid (CBGA)	0.053	0.134	ND	ND	
Cannabinol (CBN)	0.016	0.042	ND	ND	
Cannabinolic Acid (CBNA)	0.036	0.092	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.063	0.160	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.057	0.145	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.051	0.129	ND	ND	
Tetrahydrocannabivarin (THCV)	0.011	0.029	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.045	0.114	ND	ND	
Total Cannabinoids			0.000	0.00	
Total Potential THC			ND	ND	
Total Potential CBD			0.000	0.00	

Final Approval



Sam Smith
21Aug2023
02:16:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
21Aug2023
05:21:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7d850dcd-7515-476b-b92f-c88eadff98de>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7d850dcd7515476bb92fc88eadff98de.1